



Stylish Flex Wheels | Wheel Arch Claddings

First-in-class Roof Rails with Load Carrying Capacity

ROBUST AND ATTRACTIVE


The new Renault TRIBER is sure to catch attention with its striking Projector Headlamps, Stylish Roof Rails and LED DRLs. The 3-part ultra-modern Triple Edge Chrome Front Grille and Stylish Flex Wheels further add to its presence. A Ground Clearance of 182 mm and SUV Skid Plates lend an impressive stance while offering protection on rough roads.













SUPER

SPACIOUS

The new Renault TRIBER has been thoughtfully designed to accommodate comfort and convenience. It features the best-in-class passenger cabin space available in a sub-4m car, a best-in-class boot space of 625 litres (in Life Mode) and interior storage of up to 31 litres. Go ahead, discover space like never before.







This default mode gives lots of space for 5 people and a best-in-class 625 litre boot space. So that you can carry all your luggage, barbecue set or camping gear effortlessly.



MODULAR

The new Renault TRIBER's space is smartly optimised with four exciting modes and 100+ seating combinations to give you all the space you need for your tribe and new experiences.





TRIBE MODE 7-SEATER Click in two additional EasyFix Seats and you're all set to carry the entire tribe in style.





Maximum boot space to huddle up, play board games or even relax inside the car.





Additional space to accommodate more things or things that take up more length, like a musical instrument or an extra haversack.




MODERN AND

ELL-EQUIPPED

Experience all-new modern interiors inside the new Renault TRIBER. The dual tone interiors with harmonious trims exude warmth while the new Centre Fascia with sleek chrome edges spells sophistication. The super spacious TRIBER features a stylish dual tone dashboard with silver accents, an LED Instrument Cluster and a Twin AC with vents on 2nd and 3rd rows. Its easy-to-use MediaNav Evolution touchscreen comes integrated with Android Auto, Apple CarPlay, Push-to-Talk and Video Playback on your screen. The smart technology continues in the Smart Access Card with keyless entry and the Push Start-Stop Button, to further enhance your driving experience.





Smart Access Card







Push Start-Stop Button




NEW

ENERGY ENGINE

The new Renault TRIBER offers a perfect balance of performance and fuel economy. With 5-speed manual transmission, it features a peppy 1.0-litre 3-cylinder petrol Energy engine that generates 72 PS with 96 Nm torque. Further equipped with modern technology like the dual VVT system that delivers maximum response at all revs, it ensures optimum acceleration. This along with good fuel efficiency and low maintenance cost, makes the engine ideal for India.





The new Renault TRIBER also comes with a 5-Speed EASY-R AMT that delivers an effortless and comfortable drive. It is equipped with the Traffic Assist function, which allows effortless driving in city traffic conditions. Furthermore, the driver has the option of changing to manual mode to suit his driving requirement. The TRIBER's EASY-R AMT gives you complete peace of mind with a low cost of maintenance and superior fuel efficiency.



NEW UNIQUE PLATFORM

The new Renault TRIBER is designed on a unique and latest generation modular platform. This offers unbeatable roominess and flexibility. With an optimised engine compartment, it helps maximise space in the passenger compartment. The new platform also provides a superior driving experience and unmatched comfort.


EASY IN. EASY OUT.




EASYFIX **SEATS**

The new Renault TRIBER comes with first-in-industry innovative EasyFix Seats. These two additional seats can be clicked in or out of the third row, transforming the TRIBER into a 6-seater or a 7-seater instantly. Now, carry your entire group along.









RXE

EXTERIOR DESIGN:

- Wheel Center Cap
- Black Door Handle
- Dual Tone Dashboard
- Meson Black Fabric Upholstery

COMFORT:

- Electric Power Steering
- Front Power Windows

- Open Storage on Center Console

- Front Airbag Driver & Passenger
- Seat Belt Reminder Driver + Passenger
- Rear Parking Sensor

- Projector Headlamps
- Wheel Arch Cladding
- Body Colour Bumper
- Black ORVM

INTERIOR DESIGN:

- Black Inner Door Handles
- LED Instrument Cluster Amber Colour

- On Board Computer
- Air Conditioning Vents 1st Row Only
- 2nd Row Seats Slide/Recline/Fold & Tumble Function
- EasyFix Seats: Fold/Tumble Function
- 60:40 Split 2nd Row Seat
- Flectric Tail Gate Release on Center Console
- 12V Socket 1st Row Only

SAFETY:

- ARS + FRD
- Load Limiter + Pretensioner (Driver Only)
- Speed Alert Warning

- Pedestrian Protection

RXL = RXE +

EXTERIOR DESIGN:

- Body Colour Door Handle
- Full Plastic Wheel Cover
- Black Decal on Door
- Black Coloured B & C Pillar
- Body Colour ORVM
- Front Grille with Chrome Insert

INTERIOR DESIGN:

- Dual Tone Dashboard with Piano Black Finish
- LFD Instrument Cluster White Colour
- Side Air Vents with Satin Outline
- Instrument Cluster with Satin Semi-Outline

COMFORT:

- Height Adjust Tilt Steering
- Twin AC with 2nd/3rd Row Vents and Independent Control

RXT = RXL +

EXTERIOR DESIGN:

- Triple Edge Chrome Front Grille
- Roof Rails with Load Carrying Capacity (50kg)
- SUV Skid Plates Front & Rear

INTERIOR DESIGN:

- Air Vents (Front side) with Chrome
- LED Instrument Cluster with Chrome Semi Outline
- HVAC Knobs with Chrome Ring
- Japda Fabric Upholstery

COMFORT:

- ORVM Electrical Adjust
- Rear Power Windows
- Front Seat back pocket Passenger - MediaNAV with 20.32 cm Touchscreen
- & Driver Side

- 2 Rear Speakers

RXZ = RXT +

EXTERIOR DESIGN:

- Styled Flex Wheels
- LED DRI

INTERIOR DESIGN:

- Dual Tone Dashboard with Silver Accents
- Chrome Finished Parking Brake Button, Knobs on Front Air Vents.
- Push Button Surround
- Piano Black Finish Around MediaNAV Evolution
- Silver Finish Inner Door Handles, Gear Knob, Steering Wheel Insert
- 3D Spacer Fabric Upholsetry

KEY FEATURES

- Rear Assist Grips on 2nd & 3rd Row
- Cooled Storage in Center Console
- Remote Central Locking
- ORVM Manual Internal Adjust - R&GO Audio System with Bluetooth
- & USB Connection - 2 Front Speakers

SAFETY:

- Speed Sensing Door Lock
- Impact Sensing Unlock

- Day & Night Adjustable IRVM
- Rear Room Lighting
- Upper Glove Box
- Cooled Lower Glove Box - Seat Drawer Under Driver seat
- Vanity Mirror Passenger Side - 12V Socket - 2nd Row

- COMFORT:
- Smart Access Card

- 2 Front Tweeters

- Push Button Start / Stop
- Rear Wiper, Washer & Defogger - Auto Up Down - Driver Window
- Rear View Camera
- Vanity Mirror Driver Side
- 12V Socket 3rd Row

SAFETY:

- 2 Side Airbags (Front Seats)

ENGINE & TRANSMISSION ENERGY MT ENERGY MT & EASY-R Displacement (cc) 999 Number of Cylinders 3 Maximum Power Output (PS) 72PS @ 6250RPM Maximum Torque (Nm) 96Nm @ 3500RPM Transmission type 5-speed manual synchromesh Fuel System Multi Point Fuel Injection STEERING Type Electric Power Steering SUSPENSION Front McPherson Strut with Lower Triangle & Coil Spring Rear Torsion Beam Axle BRAKE Front Disc Rear Drum WHEELS & TYRES Tyres 165/80 185/65 DIMENSIONS & CAPACITIES Overall length (mm) 3990 Overall Width Without Mirror (mm) 1739 Overall Height Without Roof Rails (mm) 1643 Wheel Base (mm) Front Track (mm) 1547 1527 Rear Track (mm) 1545 1525 Fuel Tank Capacity (L) 40 40 Ground Clearance		RXE	RXL	RXT	RXZ	
Number of Cylinders 3 Maximum Power Output (PS) 72PS @ 6250RPM Maximum Torque (Nm) 96Nm @ 3500RPM Transmission type 5-speed manual synchromesh Fuel System Multi Point Fuel Injection STEERING Type Electric Power Steering SUSPENSION Front McPherson Strut with Lower Triangle & Coil Spring Rear Torsion Beam Axle BRAKE Front Disc Rear Drum WHEELS & TYRES Tyres 165/80 185/65 DIMENSIONS & CAPACITIES Overall length (mm) 3990 00-verall Widthout Mirror (mm) 1739 00-verall Height Without Roof Rails (mm) 1643 Wheel Base (mm) 2636 Front Track (mm) 1547 1527 Rear Track (mm) 1545 1525 Fuel Tank Capacity (L) 40 Ground Clearance (mm) 80 Soot Space (L) Life Mode 625	ENGINE & TRANSMISSION	ENERGY MT	T ENERGY MT & EASY-R			
Maximum Power Output (PS) 72PS @ 6250RPM Maximum Torque (Nm) 96Nm @ 3500RPM Transmission type 5-speed manual synchromesh Fuel System Multi Point Fuel Injection STERRING Type Electric Power Steering SUSPENSION Front McPherson Strut with Lower Triangle & Coil Spring Rear Torsion Beam Axle BRAKE Front Disc Rear Drum WHEELS & TYRES Tyres 165/80 185/65 DIMENSIONS & CAPACITIES Overall length (mm) 3990 185/65 DIMENSIONS & CAPACITIES Overall Width Without Mirror (mm) 1739 Overall Height Without Roof Rails (mm) 1643 Wheel Base (mm) 2636 Front Track (mm) 1547 1527 Rear Track (mm) 1545 1525 Fuel Tank Capacity (L) 40 Ground Clearance (mm) Boot Space (L) Life Mode 625	Displacement (cc)		999			
Maximum Torque (Nm) 96Nm @ 3500RPM Transmission type 5-speed manual synchromesh Fuel System Multi Point Fuel Injection STEERING Type Electric Power Steering SUSPENSION Front McPherson Strut with Lower Triangle & Coil Spring Rear Torsion Beam Axle BRAKE Front Disc Rear Drum WHEELS & TYRES Tyres 165/80 185/65 DIMENSIONS & CAPACITIES Overall length (mm) 3990 Overall Width Without Mirror (mm) 1739 Overall Height Without Roof Rails (mm) 1643 Wheel Base (mm) 2636 Front Track (mm) 1647 1527 Rear Track (mm) 1547 1527 Rear Track (mm) 1545 1525 Fuel Tank Capacity (L) 40 Ground Clearance (mm) Boot Space (L) Life Mode 625	Number of Cylinders		3			
Transmission type 5-speed manual synchromesh Fuel System Multi Point Fuel Injection STEERING Type Electric Power Steering SUSPENSION Front McPherson Strut with Lower Triangle & Coil Spring Rear Torsion Beam Axle BRAKE Front Disc Rear Drum WHEELS & TYRES Tyres 165/80 185/65 Dimensions & CAPACITIES Overall length (mm) 3990 Overall length without Mirror (mm) 1739 Overall Height Without Roof Rails (mm) 1643 Wheel Base (mm) 2636 Front Track (mm) 1547 1527 Rear Track (mm) 1547 1527 Rear Track (mm) 1545 1525 Fuel Tank Capacity (L) 40 Ground Clearance (mm) 182 Boot Space (L) Life Mode 625 Life Mode 625	Maximum Power Output (PS)		72PS @ 6250RPM			
Fuel System Multi Point Fuel Injection STEERING Type Electric Power Steering SUSPENSION Front McPherson Strut with Lower Triangle & Coil Spring Rear Torsion Beam Axle BRAKE Front Disc Rear Drum WHEELS & TYRES Tyres 165/80 185/65 DIMENSIONS & CAPACITIES Overall length (mm) 3990 Overall Width Without Mirror (mm) 1739 Overall Height Without Roof Rails (mm) 1643 Wheel Base (mm) 2636 Front Track (mm) 1547 1527 Rear Track (mm) 1545 1525 Fuel Tank Capacity (L) 40 Ground Clearance (mm) 182 Boot Space (L) Life Mode	Maximum Torque (Nm)		_			
STEERING Type Electric Power Steering SUSPENSION Front McPherson Strut with Lower Triangle & Coil Spring Rear Torsion Beam Axle BRAKE Front Disc Rear Drum WHEELS & TYRES Tyres 165/80 185/65 DIMENSIONS & CAPACITIES Overall length (mm) 3990 Overall Width Without Mirror (mm) 1739 Overall Height Without Roof Rails (mm) 1643 Wheel Base (mm) 2636 Front Track (mm) 1547 1527 Rear Track (mm) 1545 1525 Fuel Tank Capacity (L) 40 Ground Clearance (mm) 182 Boot Space (L) Life Mode 625	Transmission type		5-speed manual synchromesh			
Type Electric Power Steering SUSPENSION Front McPherson Strut with Lower Triangle & Coil Spring Rear Torsion Beam Axle BRAKE Front Disc Rear Drum WHEELS & TYRES Tyres 165/80 185/65 DIMENSIONS & CAPACITIES Overall length (mm) 3990 Overall Width Without Mirror (mm) 1739 Overall Height Without Roof Rails (mm) 1643 Wheel Base (mm) 2636 Front Track (mm) 1527 Rear Track (mm) 1545 1525 Fuel Tank Capacity (L) 40 Ground Clearance (mm) 182 Boot Space (L) Life Mode 625	Fuel System		Multi Point Fuel Injection			
SUSPENSION Front McPherson Strut with Lower Triangle & Coil Spring Rear Torsion Beam Axle BRAKE Front Disc Rear Drum WHEELS & TYRES Tyres 165/80 185/65 DIMENSIONS & CAPACITIES Overall length (mm) 3990 Overall Height Without Mirror (mm) 1739 Overall Height Without Roof Rails (mm) 1643 Wheel Base (mm) 2636 Front Track (mm) 1547 1527 Rear Track (mm) 1545 1525 Fuel Tank Capacity (L) 40 Ground Clearance (mm) 182 Boot Space (L) Life Mode 625	STEERING					
Front McPherson Strut with Lower Triangle & Coil Spring Rear Torsion Beam Axle BRAKE Front Disc Rear Drum WHEELS & TYRES Tyres 165/80 185/65 DIMENSIONS & CAPACITIES Overall leight (mm) 3990 Overall Width Without Mirror (mm) 1739 Overall Height Without Roof Rails (mm) 1643 Wheel Base (mm) 2636 Front Track (mm) 1547 1527 Rear Track (mm) 1545 1525 Fuel Tank Capacity (L) 40 Ground Clearance (mm) 182 Boot Space (L) Life Mode 625	Type		Electric Power Steering			
Rear Torsion Beam Axle BRAKE Front Disc Rear Drum WHEELS & TYRES Tyres 165/80 185/65 DIMENSIONS & CAPACITIES Overall length (mm) 3990 Overall Width Without Mirror (mm) 1739 Overall Height Without Roof Rails (mm) 1643 Wheel Base (mm) 2636 Front Track (mm) 1547 1527 Rear Track (mm) 1545 1525 Fuel Tank Capacity (L) 40 40 Ground Clearance (mm) 182 Boot Space (L) Life Mode 625	SUSPENSION					
BRAKE Front Disc Rear Drum WHEELS & TYRES Tyres 165/80 185/65 DIMENSIONS & CAPACITIES Overall length (mm) 3990 Overall Width Without Mirror (mm) 1739 Overall Height Without Roof Rails (mm) 1643 Wheel Base (mm) 2636 Front Track (mm) 1547 1527 Rear Track (mm) 1545 1525 Fuel Tank Capacity (L) 40 Ground Clearance (mm) 182 Boot Space (L) Life Mode 625	Front					
Front Disc Rear Drum WHEELS & TYRES Tyres 165/80 185/65 DIMENSIONS & CAPACITIES Overall length (mm) 3990 Overall Width Without Mirror (mm) 1739 Overall Height Without Roof Rails (mm) 1643 Wheel Base (mm) 2636 Front Track (mm) 1547 1527 Rear Track (mm) 1545 1525 Fuel Tank Capacity (L) 40 40 Ground Clearance (mm) 182 Boot Space (L) Life Mode 625	Rear		Torsion Beam Axle			
Rear Drum WHEELS & TYRES Tyres 165/80 185/65 DIMENSIONS & CAPACITIES Overall length (mm) 3990 Overall Width Without Mirror (mm) 1739 Overall Height Without Roof Rails (mm) 1643 Wheel Base (mm) 2636 Front Track (mm) 1547 1527 Rear Track (mm) 1545 1525 Fuel Tank Capacity (L) 40 Ground Clearance (mm) Boot Space (L) 182 Boot Space (L) Life Mode 625	BRAKE					
WHEELS & TYRES Tyres 165/80 185/65 DIMENSIONS & CAPACITIES Overall length (mm) 3990 Overall Width Without Mirror (mm) 1739 Overall Height Without Roof Rails (mm) 1643 Wheel Base (mm) 2636 Front Track (mm) 1547 1527 Rear Track (mm) 1545 1525 Fuel Tank Capacity (L) 40 40 Ground Clearance (mm) 182 Boot Space (L) Life Mode 625	Front		Disc			
Tyres 165/80 185/65 DIMENSIONS & CAPACITIES Overall length (mm) 3990 3990 Overall Width Without Mirror (mm) 1739	Rear		Drum			
DIMENSIONS & CAPACITIES Overall length (mm) 3990 Overall Width Without Mirror (mm) 1739 Overall Height Without Roof Rails (mm) 1643 Wheel Base (mm) 2636 Front Track (mm) 1547 1527 Rear Track (mm) 1545 1525 Fuel Tank Capacity (L) 40 Ground Clearance (mm) 182 Boot Space (L) Life Mode 625	WHEELS & TYRES					
Overall length (mm) 3990 Overall Width Without Mirror (mm) 1739 Overall Height Without Roof Rails (mm) 1643 Wheel Base (mm) 2636 Front Track (mm) 1547 1527 Rear Track (mm) 1545 1525 Fuel Tank Capacity (L) 40 Ground Clearance (mm) 182 Boot Space (L) 625			16	55/80	185/65	
Overall Width Without Mirror (mm) 1739 Overall Height Without Roof Rails (mm) 1643 Wheel Base (mm) 2636 Front Track (mm) 1547 1527 Rear Track (mm) 1545 1525 Fuel Tank Capacity (L) 40 Ground Clearance (mm) 182 Boot Space (L) 625 Life Mode 625						
Overall Height Without Roof Rails (mm) Wheel Base (mm) Front Track (mm) 1547 Rear Track (mm) 1545 Fuel Tank Capacity (L) Ground Clearance (mm) Boot Space (L) Life Mode 1643 2636 1527 1527 1527 1525 1525 1525 625						
Wheel Base (mm) 2636 Front Track (mm) 1547 1527 Rear Track (mm) 1545 1525 Fuel Tank Capacity (L) 40 Ground Clearance (mm) 182 Boot Space (L) 625	Overall Width Without Mirror (mm)					
Front Track (mm) 1547 1527 Rear Track (mm) 1545 1525 Fuel Tank Capacity (L) 40 Ground Clearance (mm) 182 Boot Space (L) 625						
Rear Track (mm) 1545 1525 Fuel Tank Capacity (L) 40 Ground Clearance (mm) 182 Boot Space (L) 625	· · ·					
Fuel Tank Capacity (L) Ground Clearance (mm) Boot Space (L) Life Mode 40 625						
Ground Clearance (mm) Boot Space (L) Life Mode 182 625	Rear Track (mm)		1545 1525			
Boot Space (L) Life Mode 625						
Life Mode 625			182			
Tribe Mode 84	Life Mode					
	Tribe Mode		84			



METAL MUSTARD



ELECTRIC BLUE



FIERY RED



MOONLIGHT SILVER



ICE COOL WHITE

www.renault.co.in Call: **1800 315 4444** SMS **TRIBER** to **53030**

Every precaution has been taken to ensure that this publication is accurate and up-to-date on the date it is printed. This document has been created on the basis of pilot lots and prototypes. As part of its ongoing product improvement policy, Renault India Pvt. Ltd., reserves the right to modify the specifications, vehicles and accessories described and shown at any time. Such modifications are communicated to Renault dealers as quickly as possible. Depending on the country of sale, certain versions may differ and certain equipments may be unavailable (as standard, optional or accessory). Please contact your nearest dealer for the latest information. Due to printing limitations, the colours that appear in this document may differ slightly from the actual paint or upholstery colours. All rights are reserved. The reproduction in any format and by any means camera to of all or part of this publication without prior written authorisation from Renault is prohibited. Segment definition based on Renault internal classification.





